

OUTPATIENT GP REFERRAL GUIDELINES MEDICAL ONCOLOGY

Southern Adelaide Local Health Network (SALHN)

Confirmed Malignancy

COLON CANCER

- Adjuvant/Post surgery
- Metastatic disease
- Recurrence

Information Required

- Presence of Red Flags
- Detailed history of presenting signs and symptoms
- Past medical history and current medications, allergies
- All prior relevant investigations and imaging (and provider)

Investigations Required

- Colonoscopy/Sigmoidoscopy (if available)
- Bloods: CBE/EUC/LFT, coags, CEA,
- CXR; CT chest, abdo, pelvis

*NOTE: Appropriate clinical data would facilitate prompt appointment scheduling

Fax Referrals to

• Flinders Cancer Clinic Fax: (08) 8404 2152

Red Flags

Present to **Emergency Department**

Febrile Neutropenia

Very high calcium (>3.0 mmol/L)

SVC obstruction

Spinal cord compression

Suggested GP Management

- If screen detected colonic mass referral to Colorectal Surgeons is required.
- Majority of referrals for consideration for adjuvant chemotherapy post colectomy come from treating surgeons however, GPs are welcome to refer
- Patients previously treated for colon cancer with suspected recurrence may be referred following preliminary investigations (– refer to *Investigations Required* above).

Clinical Resources

For patients and GPs

 Bowel Cancer Australia – Understanding bowel cancer

http://www.bowelcanceraustralia.org/bca/index.php?option=com_content&view=article&id=206&Itemid=596

General Information to assist with referrals and the and Referral templates for FMC and RGH are available to download from the SALHN Outpatient Services website www.sahealth.sa.gov.au/SALHNoutpatients

Version	Date from	Date to	Amendment
1.0	Sept 2014	Sept 2016	Original

