

OUTPATIENT GP REFERRAL GUIDELINES SOUTHERN ADELAIDE DIABETES and ENDOCRINE SERVICES (SADES) Southern Adelaide Local Health Network (SALHN)

Diabetes (Medical)

- Type 1 Diabetes
- Type 2 Diabetes (complicated or uncontrolled)
- Secondary Diabetes
- Monogenic Diabetes

Information Required

- Presence of Red Flags
- Duration of symptoms
- Associated symptoms
- Treatment to date including previous side effects
- Current medications prescribed, OTC and recreational drug use
- Medical, psychiatric and relevant psychosocial history
- Specific educational requirements e.g. insulin use
- Level of care LMO can provide
- Is patient on a Care Plan

Investigations Required

- HbA1c
- Lipids
- Microalbumin
- Serum biochemistry including renal function

If hypoglycaemia is problematic also consider

- Coeliac screen
- Morning serum cortisol
- TFT

If unsure of diabetes type

- Serum anti GAD and islet cell antibodies
- Ferritin, iron studies

Fax Referrals to

GP Plus Marion 7-

7425 8687

GP Plus Noarlunga

8164 9199

Red Flags

Newly diagnosed Type 1 diabetes

Established or impending ketoacidosis

Hyperosmolar non-ketotic state – usually extreme dehydration and hyperglycaemia in type 2 diabetes

Decreased conscious state

Diabetic foot – see <u>Diabetes Foot Care Pathway</u>

Incomplete recovery after hypoglycaemia

Recurrent severe hypoglycaemia

Suggested GP Management

- Red flags speak to on call Endocrine Registrar Ph (08) 8204 5511
- For infected foot ulcer contact Vascular Department
- RACGP guidelines otherwise on call registrar is available for advice

Clinical Resources

- RACGP general practice management of type 2 diabetes http://www.racgp.org.au/your-practice/guidelines/diabetes/
- Therapeutic Guidelines Endocrinology (2019)
- Type 1 Diabetes through the Life Span A Position Statement of the ADA

Identifier: CC1.2711

Version	Date from	Date to	Amendment
1.0	Sept 2014	Sept 2016	Original
2.0	Aug 2021	Aug 2023	Revised
3.0	April 2022	Aug 2023	Edited document