Annual Funded Influenza Program

2025 South Australia Schedule

2025 Funded Influenza Program Funded influenza vaccine should be offered to all those in the following groups:								
 All MAR* persons aged 6 months and older (refer to MAR factors below) All pregnant women All Aboriginal** persons aged 6 months and older 		 All children 6 months to less than 5 years All persons aged 65 years and older People who are homeless*** 						
 * Medical At Risk Factors Cardiac Disease Cyanotic congenital heart disease Congestive heart failure Coronary artery disease 	Chronic Respiratory Conditions Severe asthma Cystic fibrosis Bronchiectasis Suppurative lung disease Chronic obstructive pulmonary disease 	 Chronic Neurological Conditions Hereditary and degenerative CNS diseases Seizure disorders Spinal cord injuries Neuromuscular disorders 	Other At Risk Conditions Diabetes and other metabolic disorders Renal disease Haemoglobinopathies Immunocompromising conditions due to diseases or 					
	Chronic emphysema		 treatment, asplenia or splenic dysfunction, HIV infection‡ Long term aspirin therapy in children aged 6 months to 10 years 					

Refer to the influenza recommendations for immunocompromised persons in the 'Vaccination for special risk groups' section of the online Australian Immunisation Handbook.

The term Aboriginal is inclusive of Aboriginal and Torres Strait Islander people.

*** The SA funded influenza program for adults and children experiencing homelessness living in:

- improvised dwellings, tents or sleeping rough
- boarding houses or other temporary dwellings
- · supported accommodation for the homeless

- · severely crowded dwellings

IMPORTANT

• All vaccine doses administered are to be notified to the Australian Immunisation Register (AIR).

2025 Funded Influenza Vaccines

All funded influenza vaccines in 2025 are quadrivalent.

Age Group	FluQuadri® 0.5ml (IM)	Vaxigrip Tetra® 0.5ml (IM)	Flucelvax® Quad 0.5ml (IM)	Fluad® Quad 0.5ml (IM)	Comments
6 months to less than 5 years	\checkmark	\checkmark	×	×	Children aged 6 months to less than 9 years receiving influenza vaccine for the first time require two doses at least four weeks apart.
5 years to less than 65 years	×	✓	✓	×	
65 years and older	×	×	×	\checkmark	



For more information

Immunisation Section. SA Health sahealth.sa.gov.au/immunisationprovider

Public-I2-A2 © Department for Health and Wellbeing Government of South Australia. All rights reserved. February 2025. FIS: 25015.1



https://creativecommons.org/licenses