

Medicines and Technology Policy and Programs

SA Health

Register of
Life-Saving and Emergency Drugs
in Metropolitan Adelaide

2014



Government
of South Australia

SA Health

Contents

Part 1	Contact Details for Participating Metropolitan Public Hospitals	3
Part 2	Indicative Stock Levels for Marketed Life Saving and Emergency Medicines	4
Part 3	Indicative Stock Levels for Unmarketed Life Saving and Emergency Medicines	13
Part 4	Indicative Stock Levels for Antivenenes	14

Disclaimer

Stock levels quoted in the Register are based on reports received by participating metropolitan public hospitals in Adelaide. These stock levels are *indicative* stock holdings and may change without notice. For specific information about actual stock holdings at a particular time, and access to stock in emergency situations, please contact individual hospitals.

Part 1

Contact Details for Participating Metropolitan Public Hospitals

Hospital	Business Hours	After Hours
Metropolitan Public Hospitals		
Flinders Medical Centre	(08) 8204 4400 (Pharmacy Admin)	(08) 8204 5511 ask for on-call pharmacist
Lyell McEwin Hospital	(08) 8182 9140	(08) 8182 9000 ask for on-call pharmacist
Modbury Hospital	(08) 8161 2000 ask for pharmacy	(08) 8161 2000 ask to page on-call pharmacist
Noarlunga Hospital	(08) 8384 9313	(08) 8384 9222 ask to call on-call pharmacist
Repatriation General Hospital	(08) 8275 1634	(08) 8276 9666 ask to page on-call pharmacist
Royal Adelaide Hospital	(08) 8222 5549	(08) 8222 4000 ask for on-call pharmacist
The Queen Elizabeth Hospital	(08) 8222 6343	(08) 8222 6000 ask for on-call pharmacist
Women's & Children's Hospital	(08) 8161 8350	(08) 8161 7000 ask for on-call pharmacist

PART 2

Metropolitan Hospitals - Indicative Stock Levels for Marketed Life Saving and Emergency Medicines

Drug (generic name)	Strength	Dosage Form	Flinders Medical Centre	Lyell McEwin Hospital	Modbury Hospital	Noarlunga Hospital	Royal Adelaide Hospital	Repatriation General Hospital	The Queen Elizabeth Hospital	Women's & Children's Hospital
Acetylcysteine	200 mg/mL, 10 mL	Inj		-	-	40 E	-	10	330 D 45 E 10 HDU 20 ICU	-
Acetylcysteine	800 mg/ 4mL	Inj		10 D	-	-	20 D	40	-	240
Acetylcysteine	2 g/ 10 mL	Inj, concentrate	100 ST 20 E 30 ICU	400 D 70 CCU 40 ICU 40 E	30 ST 10 E 10 HDU	-	160 D 40 E 20 ICU	-	-	ST 40 E 40 2 OT 10 ICU 10 other

* Stock location codes: AC = After hours cupboard, Burns = Burns Unit, CCU = Coronary Care Unit, D = Dispensary, E = Emergency Department, H = Haematology/Blood Bank, HDU = High Dependency Unit, ICU = Intensive Care, OT = Operating Theatre, P = Pathology, R = Recovery, ST = Pharmacy store, CL = Coagulation Lab (Ph: 8161 6321 or a/hours 8161 6324)

Drug (generic name)	Strength	Dosage Form	Flinders Medical Centre	Lyell McEwin Hospital	Modbury Hospital	Noarlunga Hospital	Royal Adelaide Hospital	Repatriation General Hospital	The Queen Elizabeth Hospital	Women's & Children's Hospital
Alcohol, Dehydrate	100%, 5 mL	Inj	10 AC	-	-	-	30 D 30 E	10	-	10 D
Atropine	600 mcg/mL, 1 mL	Inj	50 ST 5 E 10 OT 10 ICU	400 D 20 CCU 50 E 50 ICU 200 OT	65 ST 50 HDU 10 E 66 other	20 E	300 D 30 E 20 ICU	150	400 D 16 E 50 HDU 100 ICU 500 R	100 ST 13 E 15 ICU 131 OT 46 other
Atropine	1.2 mg/mL, 1 mL	Inj	100 OT 50 ST	-	90 ST 5 other	50 E	250 D	-	6 D	-
Atropine	1mg/10mL	Minijet inj	-	-	-	-	-	-	1 E	1 ST 3 ICU 1 E

* Stock location codes: AC = After hours cupboard, Burns = Burns Unit, CCU = Coronary Care Unit, D = Dispensary, E = Emergency Department, H = Haematology/Blood Bank, HDU = High Dependency Unit, ICU = Intensive Care, OT = Operating Theatre, P = Pathology, R = Recovery, ST = Pharmacy store, CL = Coagulation Lab (Ph: 8161 6321 or a/hours 8161 6324)

Drug (generic name)	Strength	Dosage Form	Flinders Medical Centre	Lyell McEwin Hospital	Modbury Hospital	Noarlunga Hospital	Royal Adelaide Hospital	Repatriation General Hospital	The Queen Elizabeth Hospital	Women's & Children's Hospital
Calcium Chloride	10 %, 10 mL	Inj	60 ST 20 ICU 5 OT 3 ED	20 D 20 CCU 10 E 10 ICU 5 OT	30 ST 5 HDU	5 E	100 D 10 E 10 ICU	20	30 D 12 E 10 HDU 10 ICU 50 R	3 E 10 ST 9 ICU 5 OT 22 other
Calcium Disodium Edetate	1 g/ 5 mL	Inj, concentrate	-	-	-	-	6 D 6 ICU	-	-	-
C1-Esterase Inhibitor	500 units/vial	Inj	-	-	-	-	2 D 2 ED	-	3 E (held for 1 patient).	4 D
Calcium Folate	300 mg/ 30 mL	Inj	10 ST	-	-	-	-	-	-	-
Calcium Folate	100 mg/ 10 mL	Inj	-	160 D	-	-	70 D	-	-	-
Calcium Folate	50 mg/ 5 mL	Inj	50 ST 5 ICU	-	-	-	150 D	-	-	80 ST 60 other
Calcium Folate	15 mg/ 2 mL	Inj	15 Ph	-	-	-	15 D 3 E 5 ICU	15	-	-

* Stock location codes: AC = After hours cupboard, Burns = Burns Unit, CCU = Coronary Care Unit, D = Dispensary, E = Emergency Department, H = Haematology/Blood Bank, HDU = High Dependency Unit, ICU = Intensive Care, OT = Operating Theatre, P = Pathology, R = Recovery, ST = Pharmacy store, CL = Coagulation Lab (Ph: 8161 6321 or a/hours 8161 6324)

Drug (generic name)	Strength	Dosage Form	Flinders Medical Centre	Lyell McEwin Hospital	Modbury Hospital	Noarlunga Hospital	Royal Adelaide Hospital	Repatriation General Hospital	The Queen Elizabeth Hospital	Women's & Children's Hospital
Calcium Gluconate	10%, 10 mL	Inj	120 ST 5 E 5 ICU 10 OT 5 AC	40 D 10 E 10 ICU	11 ST 2 E	10 E	130 D 50 E 5 ICU	40	20 D 14 E 50 HDU 10 ICU 50 R	10 D 120 ST 2 E 13 ICU 2 OT 17 other
Calcium Gluconate	2.5 %, 50 g	gel	-	5 D 5 E	2 ST	-	20 D 2 E 2 Burns	-	1 D 2 E	1 other
Charcoal, Activated	50 g/250 mL	Oral suspension	2 ST 2 ICU 2 E	4 D 4 E 2 ICU	6 ST 10 E	-	10 D 20 E 6 ICU	-	8 E	1 D 2 ST 3 E 2 other
Dantrolene	20 mg	Powder for Inj	6 ST 36 OT	12 OT	24 OT	12 OT	6 D 36 ICU	12 D 12 OT	2 D	24 OT (Rogerson Th)
Desferrioxamine	500 mg	Powder for Inj	10 ST 10 AC	20 D 20 E	10 ST	-	30 D 10 ICU	-	10 D	10 D 50 ST
Desferrioxamine	2 g	Powder for Inj	10 AC	-	-	-	80 D	-	10 D	-

* Stock location codes: AC = After hours cupboard, Burns = Burns Unit, CCU = Coronary Care Unit, D = Dispensary, E = Emergency Department, H = Haematology/Blood Bank, HDU = High Dependency Unit, ICU = Intensive Care, OT = Operating Theatre, P = Pathology, R = Recovery, ST = Pharmacy store, CL = Coagulation Lab (Ph: 8161 6321 or a/hours 8161 6324)

Drug (generic name)	Strength	Dosage Form	Flinders Medical Centre	Lyell McEwin Hospital	Modbury Hospital	Noarlunga Hospital	Royal Adelaide Hospital	Repatriation General Hospital	The Queen Elizabeth Hospital	Women's & Children's Hospital
Dicobalt Edetate	300 mg/ 20 mL	Inj	-	-	-	-	-	-	6 D	-
Digoxin specific antibodies	40 mg	Inj	20 AC	5 E	-	-	40 D 30 E	1	8 D	-
Ethanol	100%, 5 mL	Inj	-	-	-	-	30 E	-	-	10 D
Flumazenil	500 mcg/ 5 mL	Inj	10 ST 5 ICU 5 ED	15 D 5 CCU 5 E 5 ICU 5 OT	15 ST 5 HDU 5 E 15 other	5 E	50 D 10 E 5 ICU	5	10 D 39 E 5 HDU 25 R	5 ST 2 E 2 ICU 3 OT 9 other
Folic Acid	5 mg/ mL	Inj	30 ICU 60 ST	120 D 20 ICU	-	-	20 D 10 ICU	50	20 D	-
Fullers Earth	60 g		12 AC	6 E	-	-	2 D 10 ICU	-	-	-
Glucagon as glucagon or as Hypokit®	1 mg	Inj	7 ST 5 ICU 3 E 3 OT	40 D 2 CCU 2 E 4 ICU 2 OT	5 ST 6 E 8 other	4 E	100 D 16 E 2 ICU	15	17 D 6 E 1 HDU 1 ICU 2 R	5 D 10 ST 3 ICU 3 OT 21 other

* Stock location codes: AC = After hours cupboard, Burns = Burns Unit, CCU = Coronary Care Unit, D = Dispensary, E = Emergency Department, H = Haematology/Blood Bank, HDU = High Dependency Unit, ICU = Intensive Care, OT = Operating Theatre, P = Pathology, R = Recovery, ST = Pharmacy store, CL = Coagulation Lab (Ph: 8161 6321 or a/hours 8161 6324)

Drug (generic name)	Strength	Dosage Form	Flinders Medical Centre	Lyell McEwin Hospital	Modbury Hospital	Noarlunga Hospital	Royal Adelaide Hospital	Repatriation General Hospital	The Queen Elizabeth Hospital	Women's & Children's Hospital
Insulin soluble	100 units/ mL, 3 mL	Inj	-	-	11 ST	10 E	60 D 35 E 50 ICU	-	165 D 29 E 5 HDU 15 ICU	25 E 5 ST 15 OT 50 ICU 45 other
Ivelip	20 %, 100g /500 mL	Inj	-	-	-	-	-	10	-	-
Intralipid (Lecithin Soya Oil Emulsion)	20 %, 100 g/ 500mL	Inj	-	-	2 R 1 HDU 1 E	2 OT	36 D 2 E	-	-	1 ST 2 E 1 OT 7 other
Intralipid (soya oil:olive oil)	20%:80% 500mL	infusion	20 ST	-	-	-	-	-	-	-

* Stock location codes: AC = After hours cupboard, Burns = Burns Unit, CCU = Coronary Care Unit, D = Dispensary, E = Emergency Department, H = Haematology/Blood Bank, HDU = High Dependency Unit, ICU = Intensive Care, OT = Operating Theatre, P = Pathology, R = Recovery, ST = Pharmacy store, CL = Coagulation Lab (Ph: 8161 6321 or a/hours 8161 6324)

Drug (generic name)	Strength	Dosage Form	Flinders Medical Centre	Lyell McEwin Hospital	Modbury Hospital	Noarlunga Hospital	Royal Adelaide Hospital	Repatriation General Hospital	The Queen Elizabeth Hospital	Women's & Children's Hospital
Methylene Blue	1%, 5 mL	Inj	10 Ph 5 E 10 OT	80 D 10 E 10 OT	20 ST	10 OT	10 D 6 E	20	10 D 5 ED	10 OT 3 ICU 10 OT
Naloxone	400 mcg/ mL	Inj	50 ST 5 E 5 ICU 5 OT	60 D 5 CCU 30 E 30 ICU 20 OT	25 ST 10 HDU 10 E 30 other	15 E	300 D 40 E 10 ICU	100	60 D 40E 5 HDU 50 R	10 ST 12 E 19 ICU 16 OT 82 other
Octreotide	100 mcg/ mL	Inj	25 ST 10 E 5 OT	180 D 10 E 30 ICU	25 ST	-	150 D 15 E 5 ICU	100	100 D 40 E 25 HDU 50 ICU	5 D
Phentolamine	10 mg/ mL	Inj	5 ST 5 OT 5 ICU	10 D 5 ICU 5 OT	-	5 OT	10 D 2 E 10 ICU	10	5D	2 D

* Stock location codes: AC = After hours cupboard, Burns = Burns Unit, CCU = Coronary Care Unit, D = Dispensary, E = Emergency Department, H = Haematology/Blood Bank, HDU = High Dependency Unit, ICU = Intensive Care, OT = Operating Theatre, P = Pathology, R = Recovery, ST = Pharmacy store, CL = Coagulation Lab (Ph: 8161 6321 or a/hours 8161 6324)

Drug (generic name)	Strength	Dosage Form	Flinders Medical Centre	Lyell McEwin Hospital	Modbury Hospital	Noarlunga Hospital	Royal Adelaide Hospital	Repatriation General Hospital	The Queen Elizabeth Hospital	Women's & Children's Hospital
Pralidoxime	500 mg/ 20 mL	Inj	5 ST 5 E	10 E 5 ICU	10 ST 5 E	-	10 D 10 E 10 ICU	5	5 D 5 E	1 D
Quinine Dihydrochloride	600 mg/ 10 mL	Inj	-	-	-	-	-	-	10 D	-
Sodium Bicarbonate	8.4 %, 50 mL	Inj		50 D 1 CCU 4 E 2 ICU 2 OT	-	-	5 D 4 E	4	16 D 2 E 3 HDU 3 ICU 1 R	1 ST 1 ICU 3 E
Sodium Bicarbonate	8.4 %, 100 mL	Inj	20 ST 10 ICU 10 OT 3 E	20 D 5 ICU	7 ST 2 HDU 2 E 1 other	3 E	200 D 4 E 10 ICU	30	10 D	10 D 50 ST 4 E 10 ICU 4 OT 69 other
Sodium Calcium Edetate	1 g/ 5 mL	Inj	-	-	-	-	6 ICU	-	-	

* Stock location codes: AC = After hours cupboard, Burns = Burns Unit, CCU = Coronary Care Unit, D = Dispensary, E = Emergency Department, H = Haematology/Blood Bank, HDU = High Dependency Unit, ICU = Intensive Care, OT = Operating Theatre, P = Pathology, R = Recovery, ST = Pharmacy store, CL = Coagulation Lab (Ph: 8161 6321 or a/hours 8161 6324)

Drug (generic name)	Strength	Dosage Form	Flinders Medical Centre	Lyell McEwin Hospital	Modbury Hospital	Noarlunga Hospital	Royal Adelaide Hospital	Repatriation General Hospital	The Queen Elizabeth Hospital	Women's & Children's Hospital
Sodium Nitrite	300 mg/ 10 mL	Inj	-	5 E	-	-	5 D 5 E	-	1 E (in Nithiodote kit)	
Sodium Nitroprusside	50 mg	Powder for Infusion	30 ST 20 ICU 10 OT	10 D 2 CCU 10 ICU 5 OT	2 ST 5 OT	-	80 D 5 E 5 ICU	4	57 D 1 E 2 HDU	3 ST 2 OT 5 ICU 5 OT
Sodium Thiosulphate	2 g/ 50 mL	Inj	-	5 E	-	-	-	-	-	-
Sodium Thiosulphate	2.5 g/ 10 mL	Inj	5 Ph 5 AH	-	-	-	12 D 12 E 5 ICU	-	1 E (in Nithiodote kit)	10 D 1 other
Tenofovir/ Emtricitabine	300 mg/ 200mg	Tablets	?	?	-	-	?	-	?	100 D 5 E 5 Other

* Stock location codes: AC = After hours cupboard, Burns = Burns Unit, CCU = Coronary Care Unit, D = Dispensary, E = Emergency Department, H = Haematology/Blood Bank, HDU = High Dependency Unit, ICU = Intensive Care, OT = Operating Theatre, P = Pathology, R = Recovery, ST = Pharmacy store, CL = Coagulation Lab (Ph: 8161 6321 or a/hours 8161 6324)

PART 3

Metropolitan Hospitals - Indicative Stock Levels for Unmarketed Life Saving and Emergency Medicines

Drug generic name	Strength	Dosage Form	Flinders Medical Centre	Lyell McEwin Hospital	Modbury Hospital	Norlunga Hospital	Royal Adelaide Hospital	Repatriation General Hospital	The Queen Elizabeth Hospital	Women's & Children's Hospital
Dimercaprol	100 mg/ 2 mL, 2 mL	Inj	-	-	-	-	-	-	-	10 D
Sodium Calcium Edetate	500 mg/ 2.5 mL	Inj	-	-	-	-	-	-	-	-
Hydroxocobalamin Cyanokit®	1 kit = 2.5 g x 2	Powder for Inj	1 AC	1 E	-	-	4 E	-	-	1 E
Physostigmine	2 mg/ 5 mL	Inj	-	-	-	-	5 E 5 ICU	10	20	-
Pyridoxine	250 mg/ 5 mL	Inj	-	-	-	-	15 D 20 E	-	-	5 D

* Stock location codes: AC = After hours cupboard, Burns = Burns Unit, CCU = Coronary Care Unit, D = Dispensary, E = Emergency Department, H = Haematology/Blood Bank, HDU = High Dependency Unit, ICU = Intensive Care, OT = Operating Theatre, P = Pathology, R = Recovery, ST = Pharmacy store, CL = Coagulation Lab (Ph: 8161 6321 or a/hours 8161 6324)

PART 4

Metropolitan Hospitals - Indicative Stock Levels for Antivenenes

Antivenom	Flinders Medical Centre	Lyell McEwin Hospital	Modbury Hospital	Norlunga Hospital	Royal Adelaide Hospital	Repatriation General Hospital	The Queen Elizabeth Hospital	Women's & Children's Hospital
Black Snake Antivenom	1 E	-	1 ST 1 E	-	2 D 1 E	-	-	1 D
Brown Snake Antivenom	2 ST 4 E	4 E	2 ST 2 E	-	6 D 1 E	-	2 E	4 D
Death Adder Antivenom	1 E	-	-	-	1 D 1 E	-	-	-
Funnelweb Spider	-	-	-	-	4 D	-	-	1 D
Polyvalent Antivenom	1 E	2 E	1 ST 1 E	-	2 D 2 E	-	-	1 D
Rattle Snake Sth American Antivenom	-	-	-	-	12 D	-	-	-
Red Back Spider Antivenom	2ST 4 E	12 E	5 ST 6 E	4 E	18 D 4 E	-	4 E	4 D
Taipan Antivenom	-	-	-	-	3 D 1 E	-	-	1 D
Tiger Snake Antivenom	1 ST 2 E	4 E	1 ST 1 E	-	7 D 2 E	-	-	2 D
Snake Detection Kit	1 ST 1 E	-	1 ST 1 E	-	-	-	1 D	1 CL

* Stock location codes: AC = After hours cupboard, Burns = Burns Unit, CCU = Coronary Care Unit, D = Dispensary, E = Emergency Department, H = Haematology/Blood Bank, HDU = High Dependency Unit, ICU = Intensive Care, OT = Operating Theatre, P = Pathology, R = Recovery, ST = Pharmacy store, CL = Coagulation Lab (Ph: 8161 6321 or a/hours 8161 6324)