Fact sheet

Central Adelaide Foot & Ankle Clinics Orthopaedic Services

Clinical Information Sheet

Clinical Condition	Metatarsaligia / Morton's neuroma
Eligibility	 Pain in the forefoot Pain in the toes worsened by closed/ tight shoes-> Morton's neuroma. Pain under the metatarsal heads (ball of foot) , feels like a stone, worse when barefoot-> Metatarsalgia Can be bilateral May have callosity under foot May be associated with hallux valgus , hallux rigidus
Priority	 Non-urgent Referral should be faxed to 08 8222 2751 (Royal Adelaide Hospital) or 08 8222 7244 (The Queen Elizabeth Hospital)
Differential Diagnosis	 Metatarsalgia Morton's neuroma Plantar wart Diabetes neuropathy
Information required with referral	 Detail history of the pain Site- Pain/ pins and needles in the toes-> Morton's neuroma Pain under metatarsals -> Metatarsaligia Type- Pins and needles -> Morton's neuroma Stone like feeling in the sole-> Metatarsalgia Aggravating factors - Tight shoes-> Morton's neuroma Barefoot / heels -> Metatarsalgia Associated medical conditions (Diabetes) Any treatment used
Investigation required for diagnosis	 Weight bearing foot x rays Ultrasonography for Morton's neuroma is inaccurate (many false positives)



Pre-Referral	1. Appropriate footwear
management strategies	2. Orthotics – arch supports
	3. Analgesics and Anti-inflammatory medicines
Discharge Criteria/	Improving symptoms with non-operative management
Information	Red flags: Continuous pain despite the non-operative
	management

For more information

Foot & Ankle Clinics Royal Adelaide Hospital, North Terrace Adelaide, Telephone: 08 8222 4000 The Queen Elizabeth Hospital, 28 Woodville Road, WOODVILLE Telephone: 08 8222 6000<u>www.sahealth.sa.gov.au</u>



 $\ensuremath{\textcircled{\sc b}}$ Department for Health and Ageing, Government of South Australia. All rights reserved.